

上 司 放 射 線 測 定 所

2014年04月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	49.4	49.4	49.3	49.3	49.1	49.3	49.5	49.6	50.0	49.3	49.1	49.3	49.2	49.7	49.7	49.5	49.0	49.3	49.2	49.3	49.5	49.5	49.5	49.5	50.0	49.0	49.4	0.2	24	
2	49.9	50.4	50.4	50.2	50.5	50.2	49.9	50.1	50.0	50.0	50.3	50.5	50.6	50.5	50.3	50.2	50.5	50.5	50.0	50.0	50.2	50.0	50.0	49.8	50.2	49.8	50.2	0.2	24	
3	49.7	49.6	49.7	49.5	49.5	49.6	49.6	49.8	50.0	50.3	49.9	50.2	50.4	50.4	50.3	50.4	50.5	50.5	50.5	50.4	50.5	50.5	50.8	51.9	51.9	49.5	50.2	0.6	24	
4	55.3	55.4	55.4	53.5	51.8	51.9	50.9	50.2	49.6	49.7	58.3	70.2	66.6	64.2	59.4	54.6	53.8	50.9	49.7	48.8	48.1	48.0	48.1	47.8	70.2	47.8	53.8	6.1	24	
5	47.8	48.3	49.0	48.9	49.0	48.6	48.8	48.8	48.8	49.0	48.9	48.9	49.2	49.1	49.6	49.7	49.3	49.1	48.8	49.2	49.3	49.2	49.7	49.7	49.7	47.8	49.0	0.4	24	
6	49.7	49.8	50.2	50.2	51.7	55.5	51.9	52.2	56.6	57.6	56.0	50.9	48.8	48.4	50.2	51.2	49.8	48.8	48.4	48.4	48.6	48.8	48.9	48.9	57.6	48.4	50.9	2.8	24	
7	49.0	49.1	49.3	49.5	49.6	49.5	49.6	50.3	49.7	50.0	50.0	50.2	50.2	50.2	50.7	50.7	50.3	50.1	50.2	49.9	50.1	49.9	49.9	50.2	49.0	49.9	0.4	24		
8	50.0	49.9	50.0	50.1	50.2	50.6	50.9	50.9	50.8	50.7	50.7	50.5	51.2	50.6	50.4	50.5	50.6	50.0	50.1	50.4	50.5	50.5	50.8	50.9	51.2	49.9	50.5	0.3	24	
9	50.3	50.7	51.0	50.9	50.7	50.2	50.4	50.7	50.6	50.5	51.1	50.7	50.4	50.7	50.6	50.8	50.6	50.8	50.6	50.6	50.7	50.6	50.6	50.7	50.2	51.1	50.2	0.2	24	
10	50.6	50.7	50.5	50.4	50.4	50.3	50.6	51.0	50.8	51.3	50.3	50.3	50.0	49.8	49.7	49.7	49.6	49.5	49.2	49.1	49.0	49.0	48.8	49.0	51.3	48.8	50.0	0.7	24	
11	48.8	48.1	49.0	48.9	48.9	49.2	49.1	49.3	49.4	49.1	49.1	49.4	49.6	49.8	50.0	50.2	50.1	49.9	49.7	49.7	49.4	49.4	49.6	49.7	50.2	48.8	49.4	0.4	24	
12	50.0	50.0	50.1	49.9	49.7	49.4	49.9	50.2	50.7	50.4	50.0	50.1	50.1	50.3	50.5	50.3	50.4	50.4	50.4	49.8	50.3	50.4	50.2	50.5	50.6	50.7	49.4	0.3	24	
13	50.1	50.4	50.3	50.0	50.2	50.1	50.3	51.3	51.1	50.7	50.4	50.5	50.4	50.4	50.4	50.4	50.4	50.4	50.4	50.3	50.8	50.5	50.2	50.3	50.0	50.4	50.2	0.3	24	
14	50.2	50.2	50.1	50.2	50.1	50.1	50.1	50.3	50.2	50.3	50.0	50.0	49.8	49.9	50.3	50.3	51.0	50.5	50.3	50.1	50.0	50.3	50.1	50.1	51.0	49.8	50.2	0.2	24	
15	50.0	49.8	49.7	49.8	50.0	50.1	50.5	50.7	50.8	50.8	51.5	51.8	51.6	51.6	51.6	51.6	51.9	51.5	51.4	51.6	51.5	51.3	51.6	51.9	51.9	49.7	51.1	0.7	24	
16	51.8	51.3	51.2	51.2	51.0	51.1	51.2	52.2	52.6	52.9	52.4	52.4	52.3	52.2	52.2	52.1	51.8	51.8	51.7	51.9	52.2	52.1	51.9	52.0	52.9	51.0	52.0	0.5	24	
17	52.2	52.4	52.4	52.5	52.6	52.7	53.2	53.4	53.5	53.5	53.1	52.8	52.6	52.4	52.2	52.1	52.1	52.1	52.1	52.1	52.3	52.2	52.6	52.7	53.5	52.1	52.6	0.4	24	
18	52.3	55.9	59.7	58.6	58.4	54.4	51.4	50.7	50.3	50.2	50.5	50.5	50.8	50.7	50.7	50.5	50.2	50.3	50.1	50.5	50.4	50.1	49.8	49.7	59.7	49.7	51.9	3.0	24	
19	49.7	49.7	49.7	49.4	49.4	49.4	49.4	49.6	49.8	50.0	49.9	50.1	50.2	50.2	50.0	50.4	50.1	50.1	49.7	49.8	49.9	50.0	49.8	49.6	50.4	49.4	49.8	0.3	24	
20	49.8	49.7	49.7	49.8	49.8	50.5	50.5	50.6	50.5	50.5	50.8	51.0	51.2	51.1	51.1	50.9	50.7	50.9	51.0	50.9	50.7	50.6	50.9	50.8	51.2	49.7	50.6	0.5	24	
21	50.8	50.7	50.9	51.3	51.6	51.6	51.1	51.3	52.3	52.2	52.8	53.7	58.2	60.2	57.1	58.7	59.9	57.9	55.6	54.1	51.4	50.0	49.6	49.4	60.2	49.4	53.4	3.4	24	
22	49.5	49.6	49.8	50.1	49.9	49.7	49.9	49.5	49.8	50.0	49.9	49.9	50.0	50.1	50.1	49.8	49.7	49.9	50.0	49.8	49.8	50.0	50.4	51.0	51.0	49.5	49.9	0.3	24	
23	51.3	50.9	50.4	50.4	50.4	50.4	50.9	51.1	50.7	50.3	50.1	50.9	51.1	50.8	51.2	50.7	51.2	51.3	51.2	51.1	51.3	51.7	51.7	51.8	51.8	50.1	51.0	0.5	24	
24	51.6	52.1	51.7	51.2	51.3	51.3	51.5	51.4	51.3	51.1	50.7	50.6	51.1	50.7	51.4	51.4	51.4	51.2	51.1	51.2	50.8	50.9	50.7	50.4	52.1	50.4	51.2	0.4	24	
25	50.7	50.6	50.8	51.1	51.3	51.8	51.7	51.6	51.6	51.8	52.4	52.5	52.1	51.8	51.8	51.8	51.7	51.7	51.4	51.7	51.7	51.7	51.8	52.0	52.5	50.6	51.6	0.5	24	
26	51.7	51.9	52.2	52.3	52.7	52.0	51.6	51.9	52.1	51.9	52.2	52.5	52.7	52.5	52.2	52.5	52.5	52.5	52.4	52.3	52.1	52.3	52.3	52.3	52.7	51.6	52.2	0.3	24	
27	51.8	51.7	51.7	51.7	51.7	51.6	51.5	51.7	52.6	52.6	52.5	52.5	52.6	52.1	52.2	52.0	51.9	52.2	51.9	51.6	51.2	51.2	51.2	50.9	52.6	50.9	51.9	0.5	24	
28	51.2	51.1	51.2	51.2	51.2	51.2	51.2	51.7	51.6	51.8	51.8	51.7	52.0	52.0	52.3	53.0	52.6	56.1	56.4	54.4	54.6	54.6	54.1	53.1	56.4	51.1	52.6	1.6	24	
29	52.4	52.8	53.1	52.1	52.2	52.6	51.2	51.3	52.3	52.0	50.8	50.7	50.9	51.2	51.0	51.0	50.8	50.5	53.7	56.4	55.4	54.3	56.5	52.3	56.5	50.5	52.4	1.7	24	
30	50.2	50.2	52.8	51.8	50.9	49.8	49.3	49.3	49.4	49.5	49.6	49.6	50.0	49.9	49.5	49.3	49.2	49.2	49.2	49.4	49.4	49.6	49.7	50.2	52.8	49.2	49.9	0.9	24	
31																														
最大値	55.9	59.7	59.7	58.6	58.4	55.5	53.2	53.4	56.6	57.6	58.3	70.2	66.6	64.2	59.4	58.7	59.9	57.9	55.6	56.4	55.4	54.6	56.5	53.1	70.2	53.8				
最小値	47.8	48.3	49.0	48.9	48.9	48.6	48.7	48.6	48.8	49.0	48.9	49.2	48.8	48.4	49.5	49.3	49.0	48.8	48.4	48.4	48.1	48.0	48.1	47.8	47.8	49.0				
平均値	50.6	50.8	51.0	50.9	50.9	50.8	50.6	50.8	51.0	51.0	51.2	51.5	51.5	51.5	51.3	51.2	51.1	51.0	50.9	50.9	50.7	50.6	50.7	50.6	51.0					
標準偏差	1.4	1.7	2.2	1.8	1.8	1.5	1.0	1.1	1.6	1.7	2.0	3.7	3.3	3.1	2.1	1.8	2.0	1.9	1.8	1.7	1.6	1.5	1.6	1.3			2.0			
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30					
有効測定日数	30																													
測定時間	720																													
測定値合計	36690.8																													
欠測時間数	0																													
欠測時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													
測定時間	720																													

上 司 放 射 線 測 定 所

2014年05月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	50.4	50.5	50.8	50.8	50.9	51.0	51.1	50.8	50.4	50.4	50.2	50.4	50.4	50.3	50.1	50.2	49.8	49.8	49.6	50.0	50.1	50.3	50.1	50.3	51.1	49.6	50.4	0.4	24	
2	50.4	50.5	50.6	51.0	51.1	50.9	51.1	51.3	51.0	51.0	51.1	51.1	50.9	51.1	51.0	50.8	51.0	50.7	51.1	51.1	51.2	51.3	51.2	51.5	51.5	50.4	51.0	0.3	24	
3	51.6	51.4	51.4	51.3	50.9	50.8	51.0	51.1	51.7	51.6	51.2	50.6	50.9	50.7	50.8	51.0	50.7	50.8	50.8	50.3	50.4	50.3	50.3	50.5	51.7	50.3	50.9	0.4	24	
4	50.3	50.2	50.2	50.4	50.7	50.3	50.7	50.9	51.1	51.1	50.9	51.1	51.0	50.8	50.9	51.1	50.9	51.1	51.2	51.3	51.1	51.2	51.1	50.9	51.3	50.2	50.9	0.3	24	
5	51.2	51.3	52.3	60.2	60.6	59.4	62.3	57.9	52.7	52.4	51.3	51.5	50.0	49.6	49.4	49.7	49.6	49.7	49.7	49.7	49.8	49.8	50.4	62.3	49.4	52.9	4.1	24		
6	50.5	50.4	50.3	50.1	50.2	50.2	50.1	50.2	50.5	50.3	49.9	50.1	50.4	50.5	50.5	50.6	50.7	50.6	50.6	50.4	50.7	50.4	50.5	50.3	50.7	49.9	50.4	0.2	24	
7	50.6	50.6	50.8	50.6	50.4	50.4	50.7	51.1	51.3	51.4	51.2	51.2	51.3	51.4	51.2	51.3	51.3	51.1	51.1	51.1	51.1	51.1	51.4	51.2	51.4	50.4	51.0	0.3	24	
8	51.2	51.0	50.9	51.0	51.0	51.0	50.9	51.2	51.2	51.2	51.5	51.7	51.6	51.6	51.8	51.6	51.7	51.3	51.2	51.4	55.2	63.2	61.1	54.5	63.2	50.9	52.9	3.2	24	
9	52.2	51.4	51.4	51.1	50.7	50.7	51.1	50.9	51.1	50.9	50.5	51.0	51.1	51.3	51.4	51.3	50.9	50.8	50.8	51.1	50.9	50.8	50.8	51.0	52.2	50.5	51.0	0.3	24	
10	50.9	50.9	50.6	50.8	50.7	50.6	50.8	50.9	50.9	50.8	51.1	51.4	51.5	51.5	51.8	51.7	51.4	51.6	51.2	51.4	51.5	51.5	51.6	51.8	51.8	50.6	51.2	0.4	24	
11	51.4	51.3	51.6	52.0	52.1	51.7	52.1	52.1	51.7	51.9	52.0	52.0	52.4	52.3	52.3	52.1	52.1	52.6	52.4	52.0	51.7	51.7	51.7	51.8	51.7	52.6	51.3	52.0	0.3	24
12	51.8	51.8	51.7	51.7	51.8	51.9	51.9	51.7	51.8	51.7	51.9	51.6	51.9	53.4	55.4	57.0	59.9	62.2	60.1	55.3	51.3	50.1	50.2	50.1	62.2	50.1	53.3	3.3	24	
13	49.9	50.2	50.3	50.2	50.5	50.5	51.3	51.1	51.3	51.3	51.6	51.6	51.8	52.0	52.2	51.8	51.8	51.8	51.6	51.4	51.7	51.9	52.3	52.6	52.6	49.9	51.4	0.7	24	
14	52.9	52.9	53.0	52.9	53.1	52.7	52.6	52.5	52.5	52.8	52.8	52.9	53.1	52.7	52.4	52.2	52.3	52.3	52.1	52.2	52.0	52.3	52.0	52.1	53.1	52.0	52.5	0.4	24	
15	52.2	52.4	52.4	52.4	51.9	51.3	51.6	51.4	51.4	51.7	51.5	51.9	55.6	58.9	59.8	63.1	59.3	53.7	53.0	51.8	51.1	51.1	50.9	51.0	51.3	50.9	53.3	3.4	24	
16	51.1	51.1	51.1	50.9	50.9	51.0	51.2	51.5	51.7	51.6	51.5	51.7	51.8	51.8	52.1	51.9	51.9	51.9	51.8	51.6	51.6	51.6	51.5	51.5	52.1	50.9	51.5	0.3	24	
17	51.9	51.9	51.9	51.8	52.3	52.2	51.9	51.2	51.2	51.3	51.4	51.5	51.5	51.8	51.6	51.5	51.2	51.1	51.3	51.4	51.3	51.4	51.8	51.5	52.3	51.1	51.6	0.3	24	
18	51.5	51.7	51.7	52.1	52.2	52.2	52.5	52.7	52.2	51.9	52.0	52.1	52.2	52.3	52.1	52.1	52.3	52.2	51.6	51.8	52.0	51.8	51.8	51.9	52.7	51.5	52.0	0.3	24	
19	52.2	52.2	52.2	51.8	52.2	52.5	52.8	53.3	53.6	53.4	53.2	52.9	52.8	52.7	52.6	52.6	52.9	52.5	52.0	52.2	52.3	52.1	52.4	52.4	53.6	51.8	52.6	0.5	24	
20	52.9	52.8	52.7	52.5	52.1	52.1	52.1	52.2	52.3	52.6	52.9	53.4	53.5	53.2	53.2	53.3	53.0	52.5	55.0	63.5	64.9	57.9	56.4	59.0	64.9	52.1	54.4	3.5	24	
21	65.9	69.3	70.5	68.6	72.6	70.0	62.9	57.8	54.3	51.1	49.1	49.5	49.0	49.0	49.1	48.9	49.2	49.1	49.0	49.1	49.1	49.1	49.2	49.3	72.6	48.9	55.4	9.0	24	
22	49.3	49.5	49.5	49.8	50.4	49.6	49.3	49.0	49.4	49.4	49.6	49.4	49.4	49.5	49.6	49.4	49.5	49.3	49.4	49.3	49.4	49.5	49.4	49.4	50.4	49.0	49.5	0.3	24	
23	49.4	49.6	49.3	49.4	49.4	49.2	49.9	49.7	49.2	49.3	49.2	49.3	49.3	49.3	49.3	49.3	49.4	49.4	49.2	49.1	49.4	49.6	49.8	50.0	50.0	49.1	49.4	0.2	24	
24	49.6	49.9	50.3	50.5	50.9	51.2	50.6	50.2	50.2	50.5	50.8	50.9	51.0	51.1	51.3	51.4	51.4	51.2	51.3	51.5	51.3	51.1	51.2	51.2	51.5	49.6	50.8	0.5	24	
25	51.0	50.7	50.8	50.8	50.6	50.6	50.6	50.6	51.0	51.5	51.7	51.9	51.8	52.0	51.6	51.8	51.9	51.8	51.8	51.8	52.1	51.2	50.7	50.6	52.1	50.6	51.3	0.6	24	
26	50.5	50.5	50.5	50.4	50.3	50.5	51.1	56.9	63.4	60.3	60.3	55.9	51.0	51.7	51.9	58.1	60.7	55.3	51.6	50.3	49.4	49.1	49.7	49.9	63.4	49.1	53.3	4.4	24	
27	49.8	50.2	50.1	50.0	50.0	49.8	49.8	50.0	50.2	***	***	***	***	50.0	49.9	49.8	50.0	49.9	50.1	50.1	50.4	50.5	50.6	50.6	50.6	49.8	50.1	0.3	20	
28	50.6	50.3	49.6	49.7	49.8	50.1	50.0	49.9	50.1	50.2	51.0	51.1	51.1	51.2	51.1	51.1	51.0	50.8	50.8	50.7	50.8	50.8	51.0	50.7	51.2	49.6	50.6	0.5	24	
29	51.2	50.8	51.0	50.1	49.7	50.3	50.1	50.1	50.2	50.3	51.0	51.4	50.9	51.4	51.4	51.1	50.9	50.8	50.8	50.7	51.0	50.8	50.9	50.7	51.4	49.7	50.7	0.5	24	
30	50.8	50.1	50.6	50.1	49.9	50.4	50.0	50.3	50.6	51.1	51.4	51.3	51.6	51.9	51.5	51.5	51.4	51.5	51.4	51.5	51.5	50.9	51.3	51.2	51.9	49.9	51.0	0.6	24	
31	51.2	51.2	51.4	51.3	51.2	51.3	51.5	52.4	52.5	52.7	52.4	52.6	52.9	52.0	52.0	52.0	51.7	51.9	51.5	51.5	51.6	51.6	51.2	51.5	52.7	51.2	51.8	0.5	24	
最大値	65.9	69.3	70.5	68.6	72.6	70.0	62.9	57.9	63.4	60.3	60.3	55.9	58.9	59.8	63.1	59.3	60.7	62.2	60.1	63.5	64.9	63.2	61.1	59.0	72.6	55.4	55.4	5.5	24	
最小値	49.3	49.5	49.3	49.4	49.2	49.2	49.3	49.0	49.0	49.3	49.1	49.3	49.0	49.0	49.1	48.9	49.2	49.1	49.0	49.1	49.1	49.1	49.2	49.3	49.3	48.9	49.4			
平均値	51.5	51.6	51.7	51.8	51.9	51.8	51.8	51.7	51.7	51.6	51.6	51.6	51.5	51.6	51.8	51.9	51.8	51.5	51.4	51.5	51.5	51.5	51.4	51.3	51.3	51.6	51.6			
標準偏差	2.8	3.4	3.6	3.6	4.3	3.8	3.0	2.2	2.4	1.9	1.9	1.5	1.7	1.9	2.5	2.3	2.5	2.3	1.9	2.5	2.7	2.6	2.2	1.8			2.6			
測定時間	31	31	31	31	31	31	31	31	31	30	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31			740		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31			109/01		
測定時間	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740					
測定値ランク	0	6	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	109/01		
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

單位:nGy/h

- 69 -

地頭放射線測定所

2014年04月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	399	401	405	405	408	409	411	409	408	401	397	397	397	***	397	399	396	395	394	395	396	400	403	407	411	394	401	405	0.5	23
2	409	413	415	418	422	421	420	420	417	411	409	405	406	406	405	405	404	404	405	402	401	403	404	408	410	422	401	410	0.7	24
3	409	409	410	412	415	417	416	415	415	413	409	407	408	408	407	401	401	399	399	401	403	409	413	419	419	399	409	409	0.6	24
4	439	458	460	444	424	412	404	396	396	395	465	493	474	437	444	457	441	434	431	430	398	385	402	399	493	385	430	2.9	24	
5	389	388	391	392	393	394	394	394	394	391	390	390	390	394	400	396	390	389	391	413	404	393	393	394	413	388	394	0.5	24	
6	393	394	398	412	410	419	418	423	412	446	467	422	394	404	409	407	394	390	386	384	387	391	395	398	467	384	406	2.0	24	
7	403	406	406	406	409	408	408	409	409	408	404	401	397	403	405	405	406	401	400	398	398	402	403	407	409	404	404	0.4	24	
8	407	412	411	413	417	420	418	418	418	413	409	411	407	402	401	400	398	398	399	399	401	403	404	407	420	398	407	0.7	24	
9	409	407	407	409	409	410	410	408	408	408	409	408	407	406	405	406	401	402	401	402	408	408	410	412	412	401	407	0.3	24	
10	415	415	417	419	422	421	424	424	421	416	414	408	402	402	399	396	393	391	389	391	389	390	390	389	424	389	405	1.3	24	
11	392	392	395	396	401	406	408	403	397	393	392	392	392	393	394	394	394	394	392	394	393	397	399	399	404	392	396	0.5	24	
12	408	413	417	419	423	424	427	424	417	413	403	400	399	396	397	396	397	396	396	396	396	397	401	405	427	396	407	1.1	24	
13	407	409	414	417	421	424	425	424	425	418	413	409	404	400	400	399	398	399	398	397	402	408	410	412	425	397	410	1.0	24	
14	412	416	416	419	421	422	423	417	408	396	396	399	399	399	398	399	400	399	395	397	399	402	404	423	395	406	1.0	24		
15	408	411	414	417	416	414	415	415	415	415	414	413	413	416	412	410	410	408	405	407	412	413	415	417	417	405	413	0.3	24	
16	416	419	420	425	427	428	430	428	424	424	422	419	421	421	414	417	415	412	408	407	413	419	423	423	430	407	420	0.6	24	
17	426	429	430	432	432	438	436	435	431	426	422	419	422	420	414	411	408	409	407	411	416	421	423	427	438	407	423	0.9	24	
18	430	479	501	495	480	445	417	407	403	402	400	401	400	401	401	400	400	397	396	398	397	395	395	392	501	392	418	3.5	24	
19	391	392	391	389	388	389	390	390	389	392	393	394	392	390	390	390	389	389	389	388	390	390	386	390	394	388	390	0.2	24	
20	391	392	394	396	398	401	403	403	396	397	397	400	401	402	404	401	397	397	397	397	395	399	399	401	404	391	398	0.3	24	
21	403	403	407	403	408	406	405	407	417	420	427	437	458	459	481	470	482	488	459	447	411	400	398	397	488	397	429	3.1	24	
22	398	401	402	403	403	404	407	402	395	395	396	396	399	399	399	399	397	395	393	392	392	398	398	402	407	392	399	0.4	24	
23	403	404	405	407	406	409	407	406	405	401	400	401	402	404	404	404	404	406	402	405	405	405	409	412	412	400	405	0.3	24	
24	415	415	413	417	414	414	414	416	410	406	405	400	399	400	402	401	401	400	399	399	401	403	405	409	417	399	407	0.7	24	
25	410	412	414	417	418	421	423	419	415	417	415	414	418	414	411	409	405	405	401	404	408	410	412	416	423	401	413	0.6	24	
26	415	420	422	424	425	427	427	427	420	417	416	416	416	416	415	415	412	409	407	409	414	420	419	421	427	407	418	0.6	24	
27	423	426	426	425	429	428	428	425	416	411	409	409	409	410	410	411	411	407	408	407	405	407	408	409	429	405	415	0.9	24	
28	412	416	415	417	420	423	425	425	416	413	411	413	414	411	415	416	421	462	443	438	452	451	440	435	462	411	425	1.5	24	
29	426	440	427	422	419	425	410	413	427	411	401	402	404	409	406	400	398	408	453	468	458	458	466	427	468	398	424	2.2	24	
30	409	410	435	427	419	405	401	399	398	399	403	401	402	400	401	401	401	398	396	396	402	404	407	411	435	396	405	1.0	24	
31																													24	
最大値	439	479	501	495	480	445	436	435	431	446	467	493	474	459	481	470	482	488	459	468	458	458	466	466	435	501	430			
最小値	389	388	391	389	388	389	390	390	389	391	390	390	392	390	390	390	389	389	386	384	387	385	388	388	389		384	390		
平均値	409	413	416	417	417	416	415	413	410	409	410	409	408	407	408	407	405	406	405	406	405	406	406	406	409		410	410		
標準偏差	1.2	1.9	2.1	1.9	1.6	1.2	1.1	1.1	1.1	1.1	1.2	1.8	1.9	1.8	1.4	1.7	1.7	1.8	2.1	1.8	1.6	1.6	1.6	1.1			1.6			
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30			719		
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30			局番/項目コード		
測定時間	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719			110/01		
測定値ランク	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
測定時間	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0																									

地頭 放射線測定所

2014年05月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	41.3	41.2	41.3	42.0	42.1	42.4	42.2	42.1	41.3	40.7	40.8	40.7	42.8	50.5	45.0	41.3	40.0	39.9	39.5	39.4	39.8	40.1	40.4	40.9	50.5	39.4	41.6	2.3	24	
2	40.9	40.8	40.9	41.1	41.0	40.8	40.7	40.6	40.7	40.7	40.8	41.2	41.3	40.9	41.0	40.9	41.1	40.8	40.8	41.0	41.3	41.4	42.0	42.4	40.6	41.0	0.4	24		
3	42.5	42.6	42.7	42.7	42.7	42.5	42.5	42.5	42.2	41.6	41.3	40.8	40.5	40.4	40.5	40.3	40.6	40.3	40.1	40.0	39.8	39.8	39.8	40.1	42.7	39.8	41.2	1.1	24	
4	40.4	40.6	40.8	41.0	41.0	41.4	41.5	41.0	40.8	40.7	40.6	41.0	41.0	41.3	41.2	41.1	40.7	40.6	40.5	40.8	40.9	40.8	40.7	41.5	40.4	40.9	0.3	24		
5	41.1	41.3	42.0	44.3	47.6	47.6	45.9	42.9	41.4	42.7	41.6	40.5	40.0	40.0	40.0	39.8	39.9	39.9	40.0	40.0	40.1	40.1	40.1	40.3	47.6	39.8	41.6	2.4	24	
6	40.4	40.8	40.9	41.1	41.4	41.1	41.2	41.1	41.1	40.8	40.5	40.3	40.4	40.4	40.5	40.3	40.5	40.3	40.2	39.8	40.0	40.1	40.3	40.9	41.4	39.8	40.6	0.4	24	
7	41.1	41.5	41.8	42.2	42.4	42.6	42.6	41.7	41.5	41.3	41.0	41.2	41.5	41.4	41.5	41.1	41.0	40.9	40.9	41.2	41.2	41.7	41.7	41.5	42.6	40.9	41.5	0.5	24	
8	41.6	41.7	41.7	41.7	41.6	41.3	41.3	40.8	40.8	40.8	40.8	41.0	40.9	40.9	40.9	41.1	40.9	40.8	40.6	40.6	41.4	44.0	44.9	42.5	44.9	40.6	41.4	1.0	24	
9	41.3	41.7	42.0	41.3	41.1	41.1	41.1	41.3	41.3	41.2	41.4	41.1	40.8	41.0	41.1	40.5	40.6	40.4	40.2	40.1	40.1	39.9	39.8	39.9	42.0	39.8	40.8	0.6	24	
10	39.9	39.8	39.8	39.8	39.8	39.7	39.7	40.0	39.9	40.0	40.1	40.2	40.3	40.3	40.5	40.4	40.5	40.1	40.1	40.1	40.3	40.6	40.6	40.7	40.8	39.7	40.1	0.3	24	
11	41.0	41.4	41.5	41.8	41.9	42.2	41.9	41.6	41.1	40.8	41.5	41.7	41.5	41.3	41.2	41.2	41.3	41.1	40.8	40.6	40.4	40.3	40.3	40.2	42.2	40.2	41.2	0.6	24	
12	40.2	40.3	40.2	40.3	40.3	40.3	40.6	40.5	40.3	40.4	40.5	40.5	40.4	40.5	40.3	40.3	42.7	47.3	45.1	46.7	48.5	43.1	41.3	41.9	41.8	40.2	41.8	2.5	24	
13	41.7	42.6	41.4	41.0	41.1	41.0	41.1	40.5	41.0	41.4	41.3	41.4	41.7	41.8	41.8	41.7	41.6	41.4	41.2	41.7	41.8	42.3	42.7	43.1	43.1	40.5	41.6	0.6	24	
14	43.5	43.8	43.9	44.2	44.1	44.3	44.1	43.6	43.6	43.5	43.4	43.1	42.8	42.4	42.0	42.0	42.0	42.3	42.6	42.2	42.2	42.2	41.8	41.7	41.4	44.3	41.4	42.9	0.9	24
15	41.9	42.0	41.6	41.0	40.7	40.5	40.7	41.0	41.2	41.1	41.5	42.4	46.1	49.2	52.0	48.0	42.8	42.2	41.8	41.9	41.2	41.2	41.1	40.9	52.0	40.5	42.7	3.0	24	
16	40.8	40.9	41.0	41.0	41.1	41.3	41.4	41.5	41.8	41.9	41.3	41.3	41.3	41.5	41.4	41.4	41.2	41.1	41.0	41.0	40.9	40.9	40.9	41.3	41.9	40.8	41.2	0.3	24	
17	41.8	42.0	41.7	41.5	41.5	41.5	41.2	40.7	40.7	40.9	40.9	41.0	40.9	41.0	41.0	41.0	41.0	40.8	40.6	40.6	40.7	40.8	41.1	41.2	42.0	40.6	41.1	0.4	24	
18	41.6	41.8	42.1	42.5	42.5	42.6	42.6	42.6	42.1	41.6	41.7	42.0	41.9	41.7	41.3	41.4	41.2	41.0	41.0	40.9	41.1	41.2	41.5	41.5	42.6	40.9	41.7	0.6	24	
19	41.8	42.4	42.4	42.6	42.8	43.0	43.2	43.0	42.7	42.2	42.6	42.1	42.1	42.2	42.1	42.0	41.7	41.6	41.4	41.1	41.6	42.0	42.4	43.0	43.2	41.1	42.2	0.6	24	
20	43.1	43.3	43.4	43.5	43.7	43.9	43.9	43.8	42.7	42.0	42.1	42.2	42.1	41.9	41.6	41.5	41.7	41.6	41.9	46.5	49.9	50.2	47.2	49.4	53.4	41.5	44.4	3.3	24	
21	56.1	58.6	59.3	57.0	57.2	53.9	47.2	46.5	46.2	42.3	40.0	39.8	40.0	39.9	40.0	39.8	39.8	39.7	39.6	39.6	39.7	39.7	40.6	40.7	59.3	39.6	45.1	7.4	24	
22	40.6	40.9	41.6	40.9	40.7	41.1	41.9	42.3	41.7	40.9	40.3	39.9	39.8	39.9	39.8	39.7	39.8	39.6	39.7	39.3	39.1	39.0	39.5	40.2	42.3	39.0	40.3	0.9	24	
23	40.3	39.6	39.3	39.4	39.4	39.2	39.6	39.6	39.3	39.5	39.3	39.5	39.4	39.5	39.4	39.5	39.5	39.4	39.6	39.6	39.8	40.0	40.4	40.5	40.5	39.2	39.6	0.3	24	
24	40.6	40.4	40.3	40.3	40.4	40.5	40.5	40.3	40.5	40.8	41.1	41.0	40.8	41.2	41.4	41.2	41.4	41.2	41.1	40.4	40.6	41.3	41.8	42.8	42.8	40.3	40.9	0.6	24	
25	42.6	42.8	42.9	42.9	43.1	42.8	43.1	42.8	41.6	41.5	41.4	41.5	41.5	41.7	41.7	41.2	41.1	41.0	40.8	40.5	40.4	40.0	39.9	40.0	43.1	39.9	41.6	1.1	24	
26	39.8	39.8	39.6	39.6	39.5	39.7	40.3	42.8	51.0	52.6	46.5	41.5	39.7	39.2	40.3	48.1	49.3	44.9	41.5	40.5	39.4	38.9	39.0	39.9	52.6	38.9	42.2	4.1	24	
27	40.1	40.4	40.0	39.8	40.2	40.0	40.1	40.0	40.2	40.3	40.5	40.7	40.8	40.8	40.8	40.8	40.6	40.4	40.9	41.4	41.4	41.7	41.8	42.3	42.3	39.8	40.7	0.7	24	
28	42.8	42.9	43.1	43.2	43.1	43.1	42.8	42.6	42.2	41.9	42.0	41.8	41.3	41.0	40.9	41.0	41.0	40.7	40.5	40.4	41.1	41.5	42.1	42.9	43.2	40.4	41.9	0.9	24	
29	43.0	43.1	43.3	43.6	43.6	43.7	43.4	43.1	42.1	41.6	41.1	41.0	41.0	41.0	41.2	41.1	41.0	40.9	40.7	41.3	42.0	42.1	42.4	42.6	43.7	40.7	42.1	1.1	24	
30	42.9	43.0	43.1	43.2	43.1	43.2	43.4	42.5	41.3	***	***	***	***	***	40.9	41.2	41.1	40.8	40.6	40.7	41.1	41.1	41.4	41.6	43.4	40.6	41.8	1.0	20	
31	41.9	42.3	42.5	42.8	42.9	42.9	43.2	42.9	42.3	41.8	41.9	41.8	41.3	41.1	40.8	40.9	40.9	40.9	40.7	40.2	40.2	40.7	41.3	41.6	43.2	40.2	41.6	0.9	24	
最大値	56.1	58.6	59.3	57.0	57.2	53.9	47.2	46.5	51.0	52.6	46.5	43.1	46.1	50.5	52.0	48.1	49.3	45.1	46.7	49.9	50.2	47.2	49.4	53.4	59.3	45.1				
最小値	39.8	39.6	39.3	39.4	39.4	39.2	39.6	39.6	39.3	39.5	39.3	39.5	39.4	39.2	39.4	39.5	39.5	39.4	39.5	39.3	39.1	38.9	39.0	39.9	38.9	39.6				
平均値	41.9	42.1	42.2	42.4	42.4	42.3	42.1	41.9	41.8	41.6	41.3	41.1	41.2	41.5	41.4	41.4	41.4	41.0	41.0	41.1	41.1	41.1	41.4	41.7	41.7	41.6	41.6			
標準偏差	2.8	3.2	3.4	3.1	3.2	2.7	1.7	1.4	2.1	2.2	1.3	0.8	1.3	2.4	2.2	1.9	2.0	1.3	1.6	2.3	1.9	1.5	1.9	2.4			2.2			
測定時間	31	31	31	31	31	31	31	31	31	31	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31		22			
有効測定日数	31						4		30783.8							38.9		41.6				45.1				39.6	***	次測		
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	329	381	20	5	0	0	0	0	0	0	0	0	0	0	0	0	740				
出現割合(%)	0	0	0	0	0	0	0	0	0	44.459	51.486	2.703	0.676	0	0	0	0	0	0	0	0	0	0	0	0	100				

地頭 放射線測定所

2014年06月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	41.9	42.2	42.4	42.8	42.9	43.2	43.2	43.1	42.6	42.4	41.9	41.9	41.8	40.9	40.6	40.7	40.4	40.3	40.1	40.6	41.1	41.2	41.3	41.8	43.2	40.1	41.7	1.0	24	
2	42.3	42.6	42.9	43.0	43.3	43.4	43.6	43.7	43.5	43.1	42.9	42.8	42.9	42.3	42.1	41.6	41.0	41.1	40.9	41.0	41.2	41.6	42.0	41.1	43.7	40.9	42.3	0.9	24	
3	40.9	41.1	41.3	41.4	41.7	42.1	41.8	41.5	41.0	41.1	41.2	41.0	41.3	40.9	40.6	40.4	40.3	41.0	41.5	40.3	40.3	40.2	40.3	41.3	42.1	40.2	41.0	0.5	24	
4	41.5	42.1	42.0	42.2	42.4	42.6	42.7	42.3	41.8	40.8	40.9	40.8	40.4	40.3	40.4	40.3	40.4	42.2	42.5	42.4	42.5	42.8	43.0	42.3	43.0	40.3	41.7	0.9	24	
5	42.0	42.2	40.7	41.0	40.4	40.1	40.2	40.8	41.0	41.7	40.0	39.4	39.4	39.2	39.5	39.5	39.5	39.7	39.9	40.1	40.2	40.8	40.9	40.7	42.2	39.2	40.4	0.8	24	
6	40.5	40.5	40.5	40.8	41.4	41.9	41.7	41.5	42.6	43.3	43.2	43.2	42.5	41.2	40.8	41.1	40.6	40.6	40.4	40.1	40.3	40.7	41.0	41.5	43.3	40.1	41.3	1.0	24	
7	42.2	42.4	42.9	43.2	43.8	44.1	43.5	42.4	41.8	41.2	41.2	41.3	41.9	41.0	40.7	40.7	40.6	40.4	40.0	39.4	39.2	39.8	40.4	40.9	44.1	39.2	41.5	1.4	24	
8	41.6	42.0	42.3	42.7	43.3	42.0	41.0	40.9	41.2	41.5	41.5	41.8	41.4	41.4	41.2	40.9	40.6	40.4	40.4	40.1	39.9	40.0	39.9	40.3	43.3	39.9	41.2	0.9	24	
9	40.7	40.8	41.0	41.4	41.9	42.0	42.1	41.3	41.5	41.6	41.5	41.5	41.4	41.1	41.1	41.2	41.0	42.3	42.2	40.2	39.8	40.0	40.9	41.7	42.3	39.8	41.2	0.7	24	
10	42.1	42.3	43.0	43.0	43.0	43.2	42.5	42.2	42.5	42.0	41.6	41.7	41.4	41.3	41.3	40.9	41.0	40.8	40.9	41.2	41.6	42.3	43.1	43.2	43.2	40.8	42.0	0.8	24	
11	43.4	43.6	43.7	43.9	43.6	44.1	44.5	44.1	42.5	41.5	40.7	40.7	40.7	40.6	40.6	40.8	41.1	41.2	41.4	41.6	45.3	46.7	45.0	42.3	46.7	40.6	42.7	1.8	24	
12	41.3	40.8	41.1	44.5	45.3	45.9	48.7	47.5	43.7	41.7	***	***	***	***	***	***	39.5	41.4	47.7	45.1	40.4	39.1	39.0	39.3	48.7	39.0	*42.7	3.2	19	
13	39.3	39.6	39.5	39.4	39.7	39.6	40.1	40.5	40.5	39.8	39.5	39.5	39.5	39.5	39.5	39.5	39.7	39.8	39.7	39.5	39.7	39.9	40.5	40.7	40.7	39.3	39.8	0.4	24	
14	40.9	41.0	41.3	41.4	41.1	41.4	41.5	41.3	41.0	41.0	41.0	40.8	40.7	40.6	40.6	40.4	40.3	40.7	40.0	39.6	40.0	40.6	41.5	41.7	41.7	39.6	40.8	0.5	24	
15	42.1	42.3	42.3	42.2	42.1	42.3	42.2	42.2	41.9	42.0	41.5	40.9	41.2	41.1	41.0	41.0	41.0	40.7	40.6	40.4	40.6	41.0	41.5	41.7	41.8	42.3	40.4	41.5	0.6	24
16	42.1	42.4	42.8	43.1	43.2	43.0	42.8	42.7	42.8	42.4	42.1	41.8	41.4	41.6	41.2	41.1	41.1	40.9	40.6	40.5	40.7	41.2	41.8	42.3	42.4	43.2	40.5	41.9	0.8	24
17	42.5	42.9	43.1	43.1	43.5	44.0	43.8	43.4	43.2	42.6	42.6	42.1	42.4	42.2	42.3	42.0	41.7	41.4	41.3	40.8	41.0	41.8	42.8	44.0	40.8	42.5	0.9	24		
18	43.5	43.6	43.8	43.8	44.3	44.3	44.1	43.9	43.5	42.7	43.1	43.2	45.5	45.5	42.5	41.6	41.1	40.9	40.8	40.4	40.6	40.9	41.5	41.6	45.5	40.4	42.8	1.6	24	
19	42.3	42.4	42.4	42.5	42.8	42.7	42.5	42.1	41.0	***	***	***	***	***	***	***	***	40.6	40.4	40.4	40.4	40.5	41.0	41.5	42.1	42.8	40.4	*41.7	0.9	16
20	42.5	42.8	43.3	43.6	44.2	44.1	44.0	43.2	43.0	42.4	42.3	42.4	42.3	42.6	41.9	42.1	41.7	41.2	40.8	41.0	41.6	41.6	41.5	41.7	41.8	42.3	40.4	41.5	0.6	24
21	43.4	43.9	44.3	44.5	44.7	44.2	44.1	43.7	43.6	43.0	42.9	43.4	42.6	42.3	42.6	41.9	42.5	41.4	41.6	41.0	40.7	42.0	44.6	46.3	49.1	40.7	43.7	1.9	24	
22	45.5	47.5	49.1	50.0	48.7	47.1	47.1	47.2	50.2	47.7	44.6	41.6	40.4	42.9	42.7	40.6	39.9	39.5	39.6	39.4	40.4	41.7	41.0	40.8	50.2	39.4	44.0	3.8	24	
23	40.8	40.4	40.2	40.1	40.3	40.4	40.4	40.4	39.8	39.6	39.6	39.6	39.7	39.6	39.8	39.8	39.7	39.5	39.5	39.4	39.7	40.2	40.5	40.8	40.8	39.4	40.0	0.4	24	
24	41.0	41.3	41.7	42.0	42.1	42.2	42.2	41.5	40.9	40.2	40.2	40.3	40.3	40.1	40.1	40.1	39.9	39.8	39.8	39.5	39.7	40.0	40.3	40.8	42.2	39.5	40.7	0.9	24	
25	41.4	41.6	41.8	41.9	42.3	42.5	42.6	41.5	40.8	40.9	40.9	41.3	41.2	41.1	40.9	40.7	40.4	40.4	40.1	39.9	40.1	40.7	41.0	41.6	42.6	39.9	41.1	0.7	24	
26	42.0	42.2	42.7	42.8	42.9	43.0	43.2	43.0	42.9	42.5	42.5	41.9	42.1	41.8	41.9	41.7	41.4	41.3	41.2	41.4	41.8	41.8	42.0	42.0	43.2	41.2	42.2	0.6	24	
27	42.0	42.7	43.3	43.4	43.8	44.1	44.1	43.1	41.9	41.0	40.8	41.0	41.0	40.8	41.0	40.9	40.8	40.8	40.6	40.6	40.6	40.6	41.0	42.1	44.1	40.6	41.8	1.2	24	
28	42.5	43.3	43.4	43.4	42.8	42.1	42.0	41.4	41.0	41.2	41.1	41.1	40.9	40.9	41.0	41.1	41.0	42.6	48.8	50.5	49.0	44.1	42.8	41.0	50.5	40.9	42.9	2.7	24	
29	40.7	40.6	40.6	40.8	41.0	41.1	41.3	41.4	41.2	41.3	41.4	41.4	41.0	43.4	43.0	41.3	40.3	39.9	39.8	40.0	40.6	40.8	41.3	41.6	43.4	39.8	41.1	0.8	24	
30	42.0	42.6	42.6	42.6	42.4	42.6	42.6	42.2	42.0	41.7	41.5	41.7	41.8	41.7	41.4	41.3	41.1	40.8	40.7	40.8	41.5	41.9	42.1	42.2	42.6	40.7	41.8	0.6	24	
31																														
最大値	45.5	47.5	49.1	50.0	48.7	47.1	48.7	47.5	50.2	47.7	44.6	43.4	45.5	47.3	49.1	45.1	42.5	47.7	48.8	50.5	49.0	46.7	45.0	46.3	50.5		44.0			
最小値	39.3	39.6	39.5	39.4	39.7	39.6	40.1	40.4	39.8	39.6	39.5	39.4	39.4	39.2	39.5	39.5	39.5	39.5	39.5	39.4	39.1	39.0	39.3	39.1	39.0	39.0	39.8			
平均値	41.9	42.2	42.4	42.7	42.8	42.8	42.9	42.5	42.2	41.9	41.6	41.4	41.4	41.5	41.4	41.0	40.7	41.0	41.0	40.8	41.0	41.3	41.6	41.7	41.7		41.7			
標準偏差	1.2	1.5	1.7	1.8	1.7	1.6	1.8	1.7	1.8	1.5	1.2	1.0	1.2	1.7	1.8	1.0	0.7	1.5	1.8	2.0	1.9	1.5	1.3	1.2						
測定時間	30	30	30	30	30	30	30	30	30	29	28	28	28	28	28	29	29	30	30	30	30	30	30	30	30					
有効測定日数	28																													
測定時間	707																													
測定値合計	29514.6																													
1時間間の最大値	50.5																													
1時間間の最小値	39.0																													
平均値	41.7																													
日平均値の最大値	44.0																													
日平均値の最小値	39.8																													
局番/項目コード	110/01																													
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0																										

- 73 -