

伏見 I 放射線測定所

2014年08月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	38.5	39.1	40.0	40.0	40.0	40.8	39.8	40.1	39.6	39.3	38.7	38.4	38.0	38.1	37.9	38.1	38.0	37.9	37.8	37.9	38.0	38.4	38.1	38.4	40.8	37.8	38.8	0.9	24	
2	38.4	39.2	39.4	39.9	40.5	41.2	40.9	40.8	40.5	40.5	40.0	40.1	39.8	39.7	39.6	39.5	39.5	39.9	39.6	39.9	39.4	40.0	39.9	40.0	41.2	38.4	39.9	0.6	24	
3	41.3	41.2	40.3	40.2	39.9	40.4	40.4	39.9	39.5	39.3	39.3	39.3	39.4	38.9	38.7	38.9	38.6	39.2	38.7	38.8	40.6	39.7	39.2	39.4	41.3	38.6	39.7	0.7	24	
4	39.4	39.9	41.6	41.6	42.0	41.8	41.2	41.4	40.2	39.0	38.5	38.5	39.2	38.7	38.1	37.7	37.6	37.6	37.8	37.8	38.0	38.2	38.6	38.8	42.0	37.6	39.3	1.5	24	
5	39.3	39.4	39.6	39.4	39.8	40.0	40.1	39.8	39.7	38.4	37.9	37.7	37.4	37.3	37.3	37.3	37.3	37.4	37.7	37.6	37.8	38.1	37.9	37.7	40.1	37.3	38.4	1.0	24	
6	38.3	38.4	38.8	38.8	39.3	39.4	39.0	38.7	38.8	37.6	37.7	37.6	37.4	37.5	37.5	37.5	37.7	37.6	37.8	37.6	37.8	37.9	37.8	37.8	39.4	37.4	38.1	0.6	24	
7	37.8	37.9	38.1	38.4	38.8	38.8	39.3	39.3	38.8	38.5	38.4	37.9	37.9	37.6	37.5	37.6	37.4	37.4	37.8	38.1	38.3	38.3	38.4	38.6	39.3	37.4	38.2	0.5	24	
8	38.9	39.3	39.4	40.0	40.9	40.3	40.6	39.7	39.2	39.0	39.1	39.0	38.7	38.5	38.5	38.5	38.2	38.1	40.2	40.5	41.8	42.8	40.6	39.3	42.8	38.1	39.6	1.2	24	
9	38.3	38.8	40.2	40.8	41.6	41.5	41.5	42.3	42.8	45.0	47.6	48.4	48.2	48.2	43.5	40.6	39.6	38.7	38.3	37.8	37.7	37.6	37.7	37.9	49.2	37.6	41.5	3.7	24	
10	38.1	38.7	40.1	41.2	40.6	38.7	38.1	38.0	39.7	44.0	48.0	53.8	61.9	72.1	60.9	50.9	45.1	40.5	39.2	39.7	38.7	38.4	38.2	38.1	72.1	38.0	44.3	9.2	24	
11	38.2	38.2	38.2	38.0	38.1	38.2	38.2	38.3	38.1	38.1	38.1	38.1	38.2	38.0	38.0	38.1	38.0	38.1	38.2	38.5	38.5	38.5	38.5	38.6	38.7	38.7	38.0	38.2	0.2	24
12	38.7	38.8	38.7	41.0	42.7	45.4	44.1	41.6	40.2	39.5	39.1	39.2	38.8	38.8	38.9	39.0	38.9	38.6	39.0	38.8	38.7	38.8	38.8	38.9	45.4	38.6	39.8	1.9	24	
13	39.2	39.3	39.7	39.9	39.8	40.8	40.8	40.5	40.2	39.7	39.4	38.4	38.3	38.0	38.0	38.0	38.8	38.2	38.0	38.8	40.0	40.3	40.2	40.8	39.3	39.3	39.3	1.0	24	
14	40.3	41.0	40.8	41.4	41.4	41.5	41.4	41.5	40.9	41.4	43.4	46.5	41.9	39.7	38.4	37.9	37.3	37.4	38.2	38.5	38.0	38.9	39.1	39.4	46.5	37.3	40.3	2.1	24	
15	39.1	39.3	39.3	39.3	39.0	39.0	39.0	39.3	39.0	38.0	37.6	37.6	37.4	37.6	38.5	38.0	37.8	37.7	37.7	39.2	40.6	39.7	40.2	39.5	40.6	37.4	38.7	0.9	24	
16	38.4	38.2	37.9	37.8	38.2	38.5	38.6	38.5	38.5	38.3	37.9	38.5	51.8	51.7	44.2	44.5	41.9	41.0	39.9	40.4	40.6	38.8	38.6	38.0	51.8	37.8	40.5	3.9	24	
17	38.9	38.9	39.2	39.1	41.8	40.7	39.6	39.7	39.5	38.8	38.6	38.7	38.4	37.7	37.6	37.5	37.5	37.4	37.7	37.8	37.8	37.9	38.2	38.7	41.8	37.4	38.6	1.1	24	
18	38.6	39.7	39.7	39.8	39.6	40.0	40.3	39.7	39.2	38.1	38.0	38.0	37.7	37.4	37.3	37.2	37.2	37.1	37.2	37.5	37.6	38.0	37.7	40.3	37.1	38.3	38.3	1.1	24	
19	37.8	37.9	37.9	38.3	38.7	39.3	39.2	38.8	38.4	38.0	37.8	37.6	37.3	37.1	37.2	37.2	37.1	37.2	37.2	37.4	37.4	37.5	37.6	37.7	39.3	37.1	37.8	0.7	24	
20	37.7	37.9	38.1	38.9	39.0	39.1	39.5	39.4	38.5	38.2	37.7	37.5	37.4	37.3	37.3	37.1	37.2	37.3	37.3	37.4	37.4	37.5	37.7	37.7	39.5	37.1	37.9	0.7	24	
21	37.9	38.4	38.6	38.6	38.8	38.9	39.3	39.4	39.2	39.0	37.9	37.6	37.4	37.3	37.4	37.2	37.2	37.3	37.4	37.6	37.6	38.2	38.7	38.8	39.4	37.2	38.2	0.7	24	
22	39.2	39.4	39.5	39.9	39.7	40.4	40.6	39.9	39.1	39.0	38.1	37.3	37.5	37.4	37.6	37.8	37.9	37.9	38.2	37.9	38.2	37.8	37.9	37.6	40.6	37.3	38.6	1.0	24	
23	37.8	39.3	40.9	42.1	39.6	39.1	39.1	38.4	38.0	38.2	37.9	37.7	37.7	37.5	37.3	37.3	37.6	37.6	38.2	38.1	38.1	39.6	40.7	38.9	42.1	37.3	38.6	1.2	24	
24	38.4	38.4	38.5	38.4	38.7	38.8	38.5	38.5	38.8	38.9	39.1	39.2	38.9	40.4	51.6	46.5	58.5	67.4	60.8	58.1	51.3	47.2	41.6	39.8	67.4	38.4	44.4	8.8	24	
25	40.0	39.3	38.8	39.1	39.5	39.7	39.7	39.8	39.7	38.7	38.6	38.4	38.4	38.9	39.0	38.3	38.2	38.1	38.1	39.5	39.8	38.9	38.6	38.6	40.0	38.1	39.0	0.6	24	
26	38.8	39.0	39.5	39.5	39.7	39.6	45.8	45.8	41.6	40.2	39.2	38.3	38.4	38.6	38.5	38.7	38.7	41.3	39.9	39.5	38.9	38.7	38.8	39.2	45.8	38.3	39.8	2.0	24	
27	38.6	38.8	38.9	39.8	39.4	39.6	40.0	40.0	39.6	39.0	38.9	38.8	38.5	38.4	38.2	38.0	38.2	38.4	38.4	38.3	38.2	38.2	38.2	38.3	40.0	38.0	38.8	0.6	24	
28	38.5	38.9	39.5	40.9	43.8	46.2	47.2	46.7	46.0	45.7	43.0	40.7	39.4	38.7	38.3	38.3	38.3	38.2	37.9	38.0	38.0	38.2	38.1	38.5	47.2	37.9	40.7	3.3	24	
29	38.6	38.9	39.2	39.3	39.3	39.3	39.3	39.6	39.4	39.1	38.9	38.4	38.0	37.8	37.9	38.0	39.0	40.0	42.2	41.9	39.4	38.7	38.4	38.4	42.2	37.8	39.1	1.1	24	
30	38.4	38.3	38.8	39.9	40.1	40.0	40.3	40.4	40.2	39.6	39.2	38.8	38.3	41.4	40.6	38.8	38.5	38.5	38.0	38.1	38.1	38.4	38.4	38.5	41.4	38.0	39.1	1.0	24	
31	38.7	38.8	38.8	38.9	39.2	39.2	39.3	39.3	38.2	38.3	38.1	37.9	38.1	38.1	38.0	38.0	38.2	38.0	38.2	38.4	38.4	38.2	38.3	38.3	39.3	37.9	38.4	0.4	24	
最大値	41.3	41.2	41.6	42.1	43.8	46.2	47.2	46.7	46.0	45.7	48.0	53.8	61.9	72.1	60.9	50.9	58.5	67.4	60.8	58.1	51.3	47.2	41.6	40.2	72.1		44.4			
最小値	37.7	37.9	37.9	37.8	38.1	38.2	38.1	38.0	38.0	37.6	37.6	37.3	37.3	37.1	37.2	37.1	37.1	37.1	37.2	37.4	37.4	37.5	37.6	37.6	37.6	37.1	37.1	37.8		
平均値	38.7	39.0	39.3	39.7	40.0	40.2	40.4	40.1	39.7	39.5	39.4	39.5	39.9	40.2	39.7	39.0	39.1	39.2	39.2	39.2	39.0	38.9	38.8	38.8	38.6		39.4			
標準偏差	0.8	0.8	0.9	1.1	1.3	1.8	2.0	1.9	1.6	2.0	2.6	3.6	5.1	6.7	4.9	3.0	3.9	5.3	4.2	3.7	2.5	1.9	1.0	0.7			3.1			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31					
有効測定日数	31																													
測定時間	744																													
測定値ランク	0	6	11	16	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	101	TOTAL	37.8	37.8	37.8	107/01			
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

伏見 I 放射線測定所

2014年09月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	38.2	38.2	38.2	38.6	38.3	38.3	38.2	38.7	40.9	42.8	43.9	44.7	41.9	40.0	41.1	40.5	38.7	38.3	38.6	38.2	38.2	38.7	39.3	39.7	38.2	39.7	1.9	24		
2	39.9	39.9	40.2	40.3	40.2	40.3	40.9	40.9	40.5	40.0	39.5	38.8	38.3	38.2	38.0	38.2	38.2	38.3	38.5	38.3	38.3	38.5	38.6	38.6	38.6	38.2	39.2	1.0	24	
3	39.1	39.2	38.9	38.6	38.4	38.0	38.0	37.9	37.9	37.6	37.9	37.9	37.7	37.8	37.8	38.3	38.0	37.8	37.9	37.8	37.6	37.6	37.7	37.9	39.2	37.6	38.1	0.5	24	
4	37.9	37.6	37.8	38.4	39.8	40.8	42.1	40.9	39.1	38.4	39.8	41.1	40.3	44.7	43.1	39.6	39.1	38.5	38.2	38.5	38.0	38.1	38.6	38.4	44.7	37.6	39.5	1.8	24	
5	38.6	38.6	38.5	40.3	40.6	41.4	42.5	46.0	45.3	40.8	39.8	40.7	38.8	38.3	38.2	38.2	38.3	38.4	38.5	38.4	38.4	38.7	38.9	38.9	46.0	38.2	39.8	2.1	24	
6	39.9	40.3	40.4	40.6	40.8	40.7	40.2	40.2	40.3	40.0	39.2	38.3	38.1	38.0	38.1	38.2	41.7	46.0	41.9	59.1	55.3	45.8	41.8	40.3	38.9	38.0	41.8	5.2	24	
7	38.8	39.2	39.2	39.3	40.4	41.3	40.1	39.7	39.4	39.5	39.2	39.1	38.8	38.5	38.3	38.2	38.4	38.2	38.4	38.4	38.5	38.5	38.7	38.8	39.1	39.5	39.0	0.8	24	
8	39.2	39.3	39.6	39.6	39.6	39.6	39.6	39.6	39.3	39.0	39.0	39.0	38.9	38.8	38.8	38.8	38.5	38.3	38.4	38.5	38.5	38.7	38.8	39.1	39.5	39.6	38.3	0.5	24	
9	38.9	38.9	39.5	39.7	39.6	39.3	39.7	39.5	39.5	38.5	38.4	38.1	38.1	38.3	38.1	38.1	38.2	38.4	38.4	38.5	38.6	38.6	38.6	38.5	39.7	38.1	38.7	0.6	24	
10	38.9	39.4	39.9	39.7	40.0	40.0	39.9	40.0	40.0	39.6	39.0	38.7	38.5	38.3	38.3	38.0	38.0	38.0	38.4	38.4	39.5	39.3	40.5	40.2	44.3	38.0	39.4	1.3	24	
11	54.9	59.7	51.7	43.5	40.4	39.3	39.4	39.2	39.0	39.0	38.9	38.9	38.5	39.2	39.2	38.5	38.4	38.5	38.5	38.5	38.5	38.7	38.8	38.9	39.2	59.7	38.4	41.3	5.7	24
12	39.4	39.9	39.9	40.3	40.3	40.5	40.5	40.1	39.8	39.6	39.0	38.8	38.3	38.3	38.1	38.4	38.3	38.3	38.5	38.4	38.4	38.7	38.7	38.9	40.5	38.1	39.2	0.8	24	
13	38.9	39.2	39.1	39.6	40.1	40.3	40.0	40.1	39.7	39.1	38.6	38.3	38.0	38.1	38.1	38.3	38.1	38.1	38.1	37.9	37.9	37.9	38.2	38.3	40.3	37.9	38.8	0.8	24	
14	38.6	38.9	39.2	39.6	40.0	39.9	40.0	39.9	39.5	39.3	38.9	38.5	38.3	38.1	38.0	37.8	38.0	38.0	38.1	38.0	38.0	37.9	38.0	38.1	38.4	40.0	37.8	38.7	0.8	24
15	38.8	39.4	39.5	39.5	39.7	40.0	40.3	40.2	40.2	39.7	39.2	39.3	39.0	38.5	38.4	37.9	37.9	38.0	38.0	38.7	39.0	39.3	40.3	40.4	40.8	37.9	39.3	0.9	24	
16	41.0	40.5	40.8	40.7	41.2	41.0	41.0	41.0	41.0	40.0	39.3	39.3	39.2	38.8	38.7	38.4	38.1	38.3	38.0	38.2	38.2	38.4	38.3	38.4	38.9	41.2	38.0	39.5	1.2	24
17	39.2	39.6	39.7	39.9	40.2	40.4	40.8	40.4	40.3	39.3	38.6	38.5	38.6	38.6	38.5	38.2	38.2	38.3	38.3	38.3	38.3	38.3	38.5	38.6	40.8	38.2	39.1	0.9	24	
18	38.6	38.8	38.9	38.9	39.0	39.4	39.9	39.7	39.6	39.4	38.3	38.2	38.1	38.3	38.0	38.1	38.4	38.3	38.5	38.7	38.8	38.9	39.3	39.4	38.0	38.8	0.5	24		
19	39.5	39.7	40.1	40.5	40.6	40.8	40.9	40.5	40.4	40.3	40.3	39.9	39.5	39.2	39.0	38.5	38.3	38.4	38.5	38.7	39.0	39.0	39.5	39.4	40.9	38.3	39.6	0.8	24	
20	39.8	40.0	40.2	40.7	40.1	41.1	40.9	40.9	40.7	40.2	39.9	39.7	39.6	39.6	39.0	38.7	38.6	38.6	38.8	38.8	38.8	39.1	39.4	39.7	41.1	38.6	39.7	0.8	24	
21	40.2	40.4	40.8	40.7	41.2	41.5	41.1	41.5	40.9	40.2	39.6	39.0	38.8	38.5	38.7	38.5	38.8	38.8	39.3	39.0	39.2	39.2	39.3	39.4	39.8	41.5	38.5	39.8	1.0	24
22	39.8	40.2	40.3	40.4	40.3	40.5	40.6	40.5	40.1	39.1	38.7	38.8	38.8	39.0	38.8	38.4	38.3	38.5	38.4	38.0	38.0	38.3	38.5	38.4	38.8	40.6	38.3	39.2	0.9	24
23	38.7	39.0	39.7	40.0	40.3	40.5	40.3	39.9	39.8	39.4	39.4	39.3	38.7	38.6	38.6	38.6	38.8	38.9	39.0	38.9	38.9	38.7	38.7	38.7	40.3	38.6	39.2	0.6	24	
24	38.9	38.9	39.2	39.9	39.3	39.0	39.2	39.2	39.0	38.7	38.5	38.6	38.7	38.4	38.4	38.5	38.7	38.8	39.3	39.3	39.2	39.3	40.9	43.9	43.9	38.4	39.2	1.1	24	
25	46.8	47.2	45.1	44.5	41.3	42.0	41.8	39.7	38.8	38.6	38.6	38.7	38.3	38.0	37.9	38.1	38.1	38.2	38.1	38.2	38.2	38.0	38.0	38.1	38.1	47.2	37.9	40.0	3.0	24
26	38.0	38.0	38.2	38.3	39.1	38.9	39.2	39.1	38.7	38.6	38.5	38.2	38.2	38.0	38.0	38.1	38.2	38.5	38.4	38.6	38.7	38.9	38.9	39.1	39.2	38.0	38.5	0.4	24	
27	39.1	38.7	38.6	38.0	38.2	38.1	38.3	38.1	38.0	37.9	37.8	37.9	37.9	37.8	38.1	37.9	37.9	38.1	38.1	38.0	38.0	38.0	38.2	38.3	39.1	37.8	38.1	0.3	24	
28	39.1	39.1	39.3	39.4	39.9	40.0	40.3	40.5	40.1	39.7	38.5	38.3	38.1	38.1	38.2	38.0	38.0	38.2	38.2	38.2	38.1	38.2	38.6	38.8	40.5	38.0	38.9	0.9	24	
29	38.8	39.2	39.1	39.2	40.0	39.7	39.8	39.5	39.2	39.0	38.7	38.6	38.2	38.1	38.1	38.2	38.1	38.2	38.3	38.5	38.5	38.8	39.2	39.0	40.0	38.1	38.8	0.6	24	
30	39.3	39.7	39.9	40.4	40.7	40.3	40.3	40.2	40.0	39.7	39.2	39.2	38.9	39.0	38.6	38.5	38.5	38.8	39.2	42.5	42.2	39.9	39.5	39.4	42.5	38.5	39.7	1.0	24	
31																													24	
最大値	54.9	59.7	51.7	44.5	41.3	42.0	42.5	46.0	45.3	42.8	43.9	44.7	41.9	44.7	43.1	41.7	46.0	41.9	59.1	55.3	45.8	41.8	40.9	44.3	59.7	41.8	41.8			
最小値	37.9	37.6	37.8	38.0	38.2	38.0	38.0	37.9	37.9	37.6	37.8	37.9	37.7	37.8	37.8	37.9	37.8	37.8	37.9	37.9	37.6	37.6	37.7	37.7	39.3	37.6	38.1			
平均値	39.9	40.2	40.1	40.0	40.1	40.2	40.1	40.1	39.9	39.4	39.1	39.1	38.7	38.7	38.6	38.5	38.6	38.5	38.5	39.2	39.2	38.9	38.8	39.0	39.3	39.3	39.3			
標準偏差	3.2	4.0	2.5	1.3	0.8	1.0	1.0	1.4	1.3	1.0	1.1	1.3	0.9	1.2	1.1	0.8	1.4	0.7	3.8	3.2	1.5	0.9	0.7	1.4	1.4	37.6	38.1			
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	1.9	720	
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	107/01	
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	720	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100		

高浜発電所及び大飯発電所環境放射線監視結果
(平成26年度第2四半期)

平成27年2月発行

編集・発行 京都府文化環境部

環境・エネルギー局環境管理課

〒602-8570

京都市上京区下立売通新町西入藪ノ内町

TEL 075-414-4709 (直通)

FAX 075-414-4710

ホームページURL <http://www.aris.pref.kyoto.jp>